

NSW Swimming Pool Register

POOL 'SELF ASSESSMENT' CHECKLIST - POOLS BUILT OR INSTALLED BEFORE 1/09/2008

AUSTRALIAN STANDARD AS1926.1 - 1986



Does your pool meet the safety standards?

The pool fence must be at least 1200mm high all the way around measured from the outside of the pool	<input type="radio"/> Yes	<input type="radio"/> No
If a boundary fence forms part of the pool fence, it must be at least 1200mm high	<input type="radio"/> Yes	<input type="radio"/> No
The gap between the bottom of the fence and the ground is no more than 100mm.	<input type="radio"/> Yes	<input type="radio"/> No
The gap between all vertical or near vertical rails on the fence is less than 100mm.	<input type="radio"/> Yes	<input type="radio"/> No
There are no potential hand holds or foot holds within 900mm of the top of the pool fence in any direction.	<input type="radio"/> Yes	<input type="radio"/> No
There must be a 300mm clearance from the barrier inside the pool area	<input type="radio"/> Yes	<input type="radio"/> No
If perforated or mesh fencing is used, the holes must be 13mm or less	<input type="radio"/> Yes	<input type="radio"/> No
Your pool fence must be well maintained and in a good state of repair (eg no holes, broken rails or palings)	<input type="radio"/> Yes	<input type="radio"/> No
The gate must be self closing and latch by itself from any position	<input type="radio"/> Yes	<input type="radio"/> No
The gate latch must be working well so that the gate is secure and, once closed, can't be pulled open.	<input type="radio"/> Yes	<input type="radio"/> No
The gate must open outwards, away from the pool.	<input type="radio"/> Yes	<input type="radio"/> No
The gap between vertical barriers of a gate must be no more than 100mm	<input type="radio"/> Yes	<input type="radio"/> No
The gate latch must be 1500mm above ground level, or if located inside the gate, 1200mm above ground level and at least 150mm below the top of the gate	<input type="radio"/> Yes	<input type="radio"/> No
Are you aware that it is dangerous and against the law to prop the gate open.	<input type="radio"/> Yes	<input type="radio"/> No
If a wall forms part of the barrier, there are no openings greater than 100mm	<input type="radio"/> Yes	<input type="radio"/> No
All windows can only open to a maximum of 100mm or the windows must be totally covered by bars or a mesh screen	<input type="radio"/> Yes	<input type="radio"/> No
The height from the sill of the lowest opening panel of a window (to the pool area) has to be 1800mm from the floor	<input type="radio"/> Yes	<input type="radio"/> No
There must be an appropriate warning sign, including details of resuscitation (CPR) techniques, in the immediate vicinity of the pool area and which can be easily read from a distance of 3 metres	<input type="radio"/> Yes	<input type="radio"/> No
Your pool fence must be clear of any objects such as BBQs, trees, rocks, shrubs and deckchairs that could help a small child climb over the fence	<input type="radio"/> Yes	<input type="radio"/> No

If you have answered 'No' to any of the questions above, please contact your local council for further information.

bepoolsafe.com.au / swimmingpoolregister.nsw.gov.au

